

. . .




F16. 2


F16. 3




F16. 4




F19, 5




F1G. 6




F16, 7




F16, 8







F16.10




F(6.11



F16. 12



16. 13



-1 6. 14

97)

400

× B Not Logged on Elle View Workload-Definition Index-Analysis Index-Validation Index-Creation Looks Help を問題 4 Selects the statements from the Database Query Log Import Workload... Existing Workload... QCD Statements... Statement Text... 南 (I) ME BBBBBBBBBBBB

51 6 617

1430

400

Logged on to sahu, DBC File View Workload-Definition Index-Analysis Index-Validation Index-Creation Tools Help **%** ⊗∞ 空色 QCD: tiwizqcd, WORKLOAD: myworkload Start the Index Validation or Apply the Recommendations Restart Analysis... What-If Analysis.. New Analysis... Start a what-if analysis of the workload **4**2 ⑦ 몔


F16. 16

× B -408 ndex-Creation Iools Help **%** ⊗∞ (A) Index-Validation yalidation... 445 File Yiew Workload-Definition Index-Analysis 🖔 Teradata Index Wizard 0 0 0 南 Ħ

4 F16.

Not Logged on

Validates the indexes



F16.


a 79%-× 🗗 -Not Logged on Index Analysis Inputs... Yalidation System... Teradata System Emulation Tool <u> Jeradata Stabstics Wizard</u> Teradata <u>V</u>isual Explain Define Data Source... Workload <u>CleanUp</u> File Yiew Workload-Definition Index-Analysis Index-Validation Index-Creation Tools Help e e 盘 a) S の同一を多る原 0 自己の一番 ø J M 迴 橿 **H** A

F16, 19

		Description
800-370	Ą	To logon to the Teradata RDBMS server.
325 IOA	⑦	To log off from the Teradata RDBMS server.
702 35V	#	To select the statements from the DBQL.
80 %		To enter the SQL statements or select them from more than one file.
804	•	To select the SQL statements from the QCD.
80 J	đ	To import a workload from a production system.
708	\	To select an existing workload.
408	E S	To set/reset the index analysis parameters.
م م 8	ð	To start index analysis.
808	證	To perform "What-If" analysis
810	囮	To restart index analysis from a checkpoint.
118	N	To display summary information.
810	***	To validate the indexes.
es Do	<u> </u>	To schedule the creation of indexes.
2/8	6	To view the help contents.
815	% ¥	To guide the user how to use help.

	200		1703	702		
Define Workload	DBQL Search Criteria User Name: Start Time: End Time:	: [] [/0 Count:]	Browse DBQ	- DBQL Statements Selected Frequency Statement Text	✓ Vorkload Name: Deselect All	OK. Cancel

F16. - -21



F19, 22

	520	- 10	-	125				
Define Workload	QCD Name: Query ID: Query I ag:	TIWizgCD Browse QCD	Frequ 3	15 1 sel * from query, relation where query, queryid =	 11 1 sel * from query,relation where query, queryid = 9 1 sel * from query,relation ,workload where querying = 30 1 sel * from query, 	28 1 Insert explain into TIWizQCD sel * from relatio →	Workload Name: MyWorkload Select All Deselect All	Cancel Cancel

F16.

×	230	Open	Cancel
↑ • • • • • • • • • • • • • • • • • • •			
	ৰা migrat31 ৰা migrat40 ৰা migrat41	createtb	SQL Files (*.sql)
Open Lookin: Sal	Screatedb Createdb Screatedb Screatedb Screatedb Screatedb Screated Screate	File <u>n</u> ame:	Files of type:

716, 24

	5%		
Define Workload	Selected Frequency Statement Text Selected Selected SELECT DISTINCT L2L2 c 2 · t	Workload Name: MyWorkload Select All Deselect All	Cancel .

F19. 25

255	- 5772	355	556	
Existing Workload Workload Statements QCD Name: MyWorkload	States Frequ Statement Text 1 1 sel * from query;; 2 1 sel * from relation;; 4	-Workload Status Recomment Index Tag Validated Sy Validated Til Validated Qt Recom → 2 myindexTag deepika 7:43.670000 tiwizqcd NONE 1 MyIndexTag deepika 7:43.670000 tiwizqcd NONE 2 muindevtan deepika 7:43.670000 tiwizqcd NONE 4	Qicd Statements Query I ext	0K Cancel

F16. 2

92

	Existing Workload	IXIZ	
	├ Workload Statements		
	QCD Name: Workload Name:		
	TIWizQCD MyWorkload		
	Selec Stater Frequi Statement Text Selec Stater Frequi Statement Text Selec Stater Frequi Statement Text		 -
552A-			L CCOA
	- Workload Status) }
	Validated Sy		
	2 myindextag deepika 7:43.670000 tiwizgod 1 MulndexTar deenika 7:43.670000 tiwizgod	NONE	
		NUME	
	– Modify Options		
[K &]	☐ Qcd Statements		
	☐ Query Iext		-529
	New Workload Name:	<u>Update</u>	
	OK Cancel		
		Consideration of the second contract of the s	

F19, 27

			ł) 9 7			
<u> </u>			4	16	526		Cancel
arameters	puts	g indexes	ns per Index:	s per Table:	.ace:	ıreshold:	Set Defaults
Index Analysis Parameters	⊢ Index Analysis Inputs	✓ Keep existing indexes	Maximum Columns per Index:	Maximum Indexes per Table:	Index Search Space:	Change Rate Ihreshold:	

	4 2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	
Index Analysis ¬Workload Statements Statement Id Frequency Statement Text 3 1 sel * from quent relation where relation relationid 1 sel * from quent relation relationid 1 sel * from quent relation relation relationid 1 sel * from quent relation relation relationid 1 sel * from quent relation relationid 1 sel * from quent relation relation relationid 1 sel * from quent relation rel	Select Tables Selected Database Name Table Name Access ([Wixaged Name Access (Wixaged Name Access (Wixaged Name Acce	Parameters Parameters ag: MylndexTag Checkpoint Erequency: Checkpoint Erequency: Checkpoint Erequency: Checkpoint Erequency: Checkpoint Erequency: Cancel Cancel

F1G. 29


) ^ L			
Restart Index Analysis	Pestart parameters ————————————————————————————————————	QCD Name: TIWizQCD	Workload Name: MyWorkload	<u>Index Tag:</u> MyIndexTag	- Save option	Save Recommendations	☐ Save exection plans	Cancel Cancel

F14, 30

!


.

Acres described to the property of the



下16.

.3



F1G. 32

	Index Tag: MyIndexTag	Columns QuerylD RelationKey	1630 632
	Existing Indexes Report Workload Name: myworkload	Index Type P P Re	
器 Existing Indexes Report	QCD Name: TIWizQCD	Table Name Index Name QUERY PK_QueryID RELATION PK_RelationKey	

F16. 33

		/		
X D	Index Tag: MyIndexTag	sel * from query,relation w sel * from query;; sel * from relation;;		(1)
eport	ercenta	100.00 100.00 100.00		949
Query Cost Analysis Report	QCD Name: TWizQCD Workload Name: myworkload	50.00 50.00 50.00		
🗷 Query Cost Analysis Report	QCD Name: TIWizQCD			
💯 Query Co		SELECT SELECT SELECT	▼	

)	
×	Index Tag: Index1		
	Update Cost Report Workload Name: MyWorkload Undate Cost		
Update Cost Report	QCD Name: MyTextQCD	ped	

F16, 35

				0	!
X 🗆 🗕		Size(KB)	10.00 10.00 10.00		
	lyIndexTag				
and the section of th	Index Tag:MyIndexTag				29.9
	Disk Space Analysis Report QCD Workload Name:myworkload	Index Name	MyIndextag MyIndextag MyIndextag		099
📆 Disk Space Analysis Report	CCD Name:TIWizQCD Work	Table Name	QUERY RELATION RELATION		

F16, 36

☑ Table Usage Report
Table Usage Report
GCD Name: 119912GCD - 9907Kload Name: Myworkload - Index 1 ag. Mymdex 1 ag.
1 sel
769 69


×	ס	Statement T sel * from q sel * from q sel * from q sel * from re	
	Index Tag: MyIndexTag	Columns involve ? ? ?	
	Workload Analysis Report Workload Name: myworkload Inc	Columns RelationKey, Cardinality, Geogl QueryText, QUERYNAME, Que UDB_KEY, QUERYNAME, Dat SortInfo, VIEWNAME, UDB_KE	99
alysis Report) QCD Name: TIWizQCD Work	St Relative Table Na 3.70 RELATION 3.70 QUERY 3.70 QUERY 3.70 RELATION 3.70 RELATION	
Workload Analysis Report	00	State Cost SELE 10 SELE 10 SELE 10	

X -	y INE	
	Index Tag: MyIndexTag Stats DDL	
Summary Report Summary Report	QCD Name: TIWizQCD Workload Name: myworkload Index T Table Name Index DDL ' QUERY MyIndextag CREATE INDEX index_4 (name) on Relation: RELATION RELATION MyIndextag CREATE INDEX index_4 (name, TableName) o	769 (b) (


			1
× 🗆 "	yworkload	Statement, Text sel * from query, relation where query.que sel * from query, relation , workload ;; sel * from query, relation where query.que sel * from query, relation , workload where sel * from query, relation , workload ;; sel * from query, relation , workload ;; sel * from query, relation , workload ;;	700 J
	Scan Report Workload Name: myworkload	Geograph built locally	<u></u>
	Table	AMPs Retrieves All AMP Retrieve Single AMP Retrieve Single AMP Retrieve	F16, 40
	QCD Name; tiwizqcd	Cardinality 45.00 45.00 45.00 282.00 2.00 2.00 2.00	
) Report	OC	Table Name QUERY QUERY QUERY RELATION RELATION WORKLOAD WORKLOAD	
💯 Table Scan Report		Owner tiwizaca tiwizaca tiwizaca tiwizaca tiwizaca tiwizaca tiwizaca	


	770	715	X16-		F16. 4	
Workload Statements - Workload Statements - Workload Name: - Workload Name:	TIWizQCD MyWorkload •	2 1 sel * from relation;; 4	Selec Recomment Index Tag Validated Sy Validated Til Validated Qt Validated Qt Validated Qt Validated Qt Validated Qt Validated Qt Validated Qt Validated Qt Validated Qt Validated Qt Validated Qt Validated Qt Validated Qt Validated Qt Validated Qt Validated Qt Validated Qt Validated Qt Validated Qt Validated Qt Validated Qt Validated Qt Validated Qt Validated Qt	☐ Delete Workload ☐ Delete Analysis ☐ Delete Plans	<u>Delete</u>	Cancel

	730	7 7 32		
Load Recommendations ? X	Load recommendations from QCD Load recommendations from file	TIWizQCD,MyWorkload Browse	OK Cancel	7 tst F16, 42



		~	. 0	44.91J			
Index Validation	Select indexes to be validated:	Sele Table Index Index Columns Index DDL QUEF Mylnc QueryText CREATE INDEX index 3 (QueryText CREATE INDEX index 4 (name) c CREATE INDEX index CREAT	$\frac{\text{Select All}}{\text{-Validation Results}} \qquad \boxed{\text{Deselect All}} \qquad \boxed{\text{View DDL}} \qquad \boxed{\text{Validate}} \qquad -756$	Table Name Index Name % Sample on which statistics were collected → 7 5 0 QUERY 10 RELATION 10 **In	Conclusion : An overall improvement of 38.24 in the performance of the system Compare Options: Compare on same system	OK Compare Cancel	795





File Wew Workload Index-Analysis Index-Validation Index-Cheation Tools Help

🎻 Teksdaka Index Wizard

Set Statistics Sample Size	
Workload Definition Validation	
III I I I I I I I I I I I I I I I I I	
1,000 To 10,000 rows;	
10,000 To 100,000 rows: 20	
ws: 10	
1,000,000 To 10,000,000 rows. 5 🖹	-950 F
10,000,000,1o,100,000,000,1ows: 1 🛨	
Above 100,000,000 rows: 0.1	
Set Defaults	
OK Cancel Annly	
Define the workload or select the what-if analysis or start the index validation	
Idle (QQ) TWIZQQD	Logged on to dpbv0, dbc

F16. 47

原及多数形余语名下的部分区 2:43 PM